DATE:

SHEET _1_ of _1_

Form PTO - 1449 (Modified)

FORM PTO-1449 (Modified)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.	SERIAL NO.
	OIPE	6752.US.01	09/716,395
	INFORMATION DISCLOSURE STATEMENT BY APPLICATT MAR 0 5 2001	APPLICANT(S)	RECEIVED
		FESIK, et al.	GROUP MAR 0 7 2001
(37 CFR 1.98 (b))	(Use several sheets if necessary RADEMARK	11/20/00	1645 1642 TECH CENTER 1600/290
	U.S.PATENT DOC	-	

	((Use several sheets if necessary)		11/20/00		سدر.	-1642	U , <u>Z</u> .			
(37 CFR 1.98	(b))		PADEMARK	11/20/00	·	1645	TÉCH CI	ENTER 16			
		U.S	S.PATENT D	OCUMENTS							
XAMINER INITIAL		PATENT NUMBER	ISSUE DATE	INVENTOR	CLASS	SUI S CLA		FILING DATE			
		<u> </u>									
	FO	REIGN PATENT OR P	UBLISHED I	FOREIGN PATE	NT API	PLICAT	'ION				
,		DOCUMENT NUMBER	PUBLIC- ATION DATE	COUNTRY OR PATENT OFFIC		CLASS	SUB CLASS	TRANS LATION YES N			
				TATELLY OF TE		CLASS	CEASS	123 1			
		OTHER BOOK TON	30				<u></u>	<u> </u>			
		OTHER DOCUMENT	S (Including A	uthor, Title, Date, Pla	ace of Pul	blication)					
auch	CI	Anderson, et al., Protein Deletion Mutant of Human	Bcl-2 From Back	terial Bodies; 15:162-1	170 (1999)					
1	C2	Bakshi, et al., Cell, Cloning the Chromosomal Breakpoint of t(14,18) Human Lymphomas: Clustering Around J _H on Chromosome 14 and Near a Transcriptional Unit on 18, 41:899-906 (1985)									
	C3 Boise, et al., Cell, bcl-x, a bcl-2-Related Gene that Functions as a Dominant Regulat Death, 74:597-608 (1993)							•			
	C4	Cleary, M., et al., <u>PNAS</u> , Nucleotide Sequence of a t(14;18) Chromosomal Breakpoint is Lymphoma and Demonstration of a Breakpoint-Cluster Region Near a Transcriptionally Action Chromosome 18, 82:7439-7443 (1985)									
1	C5	Cleary, M., et al., Cell, Cloning and Structural Analysis of cDNAs for bcl-2 and a Hybrid bcl-02/Immunoglobin Transcript Resulting from the t(14;18) Translocation, 47:19-28 (1986)									
	C6	Kelekar, et al., Molecular and Cellular Biology, Bad is a BH3 Domain-Containing Protein that Forms an Inactivating Dimer with Bcl-x _L 17(12):7040-7046 (1997)									
	C7 ·	Muchmore, et al., Nature, X-Ray and NMR Structure of Human Bcl-x _L an Inhibitor of Programs Death, 381:335-341 (1996)									
	C8	Ottilie, S., et al., J. of Biol.	Chem., Dimeriza					, ,			
	C9	<i>Apoptosis</i> ; 275:983-986 (19	Sattler, M., et al., Science, Structure of Bcl- x_L – Bak Peptide Complex: Recognition Between Regulators Apoptosis; 275:983-986 (1997)								
	C10	Seto, et al., EMBRO J., Alt lg Fusion Gene in Lymphon	na, 7:123-131 (1	988)			_	•			
/4/	CII	Tsujimoto, et al., <u>PNAS</u> , Analysis of the Structure, Transcripts, and Protein Products of bcl-2, the Gene Involved in Human Follicular Lymphoma, 83:5214-5218 (1986)									
V	C12	Yang, et al., <u>Cell</u> , <i>Bad</i> , <i>a</i> Death, 80:285-291 (1995)	Heterodimeric F	Partner for $Bcl-x_{l_i}$ and	Bcl-2, D	isplaces B	Bax and P	romotes Ce			
					_						
EXAMINE	* 7J	MNAN;		19/1/1/1/	1 78)	8					

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

(Form PTO 1449)